


**ARIZONA DEPARTMENT OF WATER RESOURCES**

**Office of Assured and Adequate Water Supply**

3550 North Central Avenue, Phoenix, Arizona 85012

Telephone 602 771-8599

Fax 602 771-8689



Janet Napolitano  
Governor

Herbert R. Guenther  
Director

July 10, 2008

Mr. Roy Tanney  
Arizona Department of Real Estate  
2910 N. 44th Street  
Phoenix, Arizona 85018

**Water Report #53-700547.0000**

**Subdivision Name:** Snowbowl Ranch Unit 3

**Owner:** Snowbowl Ranch Estates, LLC,  
an Arizona limited liability company, owner,

**Number of lots:** 14

**County:** Coconino

Township 22 North, Range 6 East, Section 23

**Water provided by:** Dry lot, individual wells

**Water Type:** Groundwater

**Current water depth:** No Information

**Estimated 100-year depth:** No Information

**Current decline rate:** No Information

**Basin:** Little Colorado River Plateau

Dear Mr. Tanney:

Pursuant to A.R.S. § 45-108, the Department of Water Resources has reviewed the available information pertaining to the water supply for the above-referenced subdivision. This letter constitutes the Department's report on the subdivisions water supply as required by A.R.S. § 45-108(A).

Adequacy of the 100-year water supply was reviewed by the Department with regard to physical, legal and continuous availability, water quality, and financial capability. No information has been provided to the Department that indicates that the applicant has satisfied the adequate water supply requirements as set forth in A.A.C. R12-15-701 *et seq.* Therefore, the Department of Water Resources finds the water supply to be inadequate to meet the subdivision's projected needs.

Pursuant to A.R.S. §32-2181(F) a summary of the Department's report for those with an inadequate water supply be included in all promotional material and contracts for sale of lots in the subdivisions. We suggest the following synopsis:

**"Snowbowl Ranch Unit 3 subdivision is being served groundwater by individual wells. The developer has chosen not to demonstrate a 100-year adequate water supply. The applicant has not demonstrated that the criteria for physical, legal and continuous availability, water quality, and financial capability have been met. Therefore the Department must find the water supply to be inadequate. For additional information please contact Carlane Stephan, of the Office of Assured and Adequate Water Supply at (602) 771-8585."**

The developer, pursuant to A.R.S. §32-2181(F), may suggest a different summary of this report, but it must contain the above elements and/or the Department's findings.

Pg. 2


July 10, 2008

Water Report

Snowbowl Ranch Unit 3 subdivision

This letter is being forwarded to your office as required by A.R.S. § 45-108. This law requires the developer to hold the recordation of the subdivision's plat until receipt of the Department's report on the subdivision's water supply. By copy of this report, the Coconino County Recorder is being officially notified of the developer's compliance with the law.

Sincerely,

A handwritten signature in cursive script, reading "Sandra Fabritz-Whitney". The signature is written in dark ink and is positioned above the printed name and title.

Sandra Fabritz-Whitney

Assistant Director

Water Management Division

cc: Coconino County Planning and Zoning  
Coconino County Recorder  
J.R. Murray  
Carlane Stephan, Office of Assured and Adequate Water Supply